



Analytical Solution Methods and Computational Approaches for Second Order Linear Differential Equations with Constant Coefficients

¹ **Abhishek Kumar Giri**

Research scholar

Department of Mathematics

Asian International University Imphal West, Manipur, India

² **Dr. Sonu Kumar**

Research Supervisor

Department of Mathematics

Asian International University Imphal West, Manipur, India

ABSTRACT

The study examines analytical techniques and computational approaches for solving second order linear differential equations, focusing on their accuracy, efficiency, and applicability. The study adopts a mathematical, theoretical, and computational research design to analyze homogeneous and non-homogeneous differential equations using the characteristic equation method, complementary functions, particular integrals, and the method of undetermined coefficients. It also explores computational approaches, including symbolic computation, numerical integration, graphical representation, and error analysis, to verify analytical solutions and obtain numerical approximations. Representative equations involving distinct real roots, repeated real roots, and complex conjugate roots are considered to demonstrate the mathematical structure and behaviour of their solutions. The comparative analysis examines solution accuracy, computational efficiency, consistency, complexity, and ease of implementation, while absolute error, relative error, step size, and convergence provide a framework for evaluating numerical accuracy. The findings indicate that analytical methods facilitate the derivation of exact solutions and mathematical interpretation, whereas computational approaches support numerical approximation, solution verification, and graphical analysis. The study highlights the complementary role of analytical and computational techniques in developing a systematic understanding of second order linear differential equations with constant coefficients.

Keywords: *Second Order Linear Differential Equations, Constant Coefficients, Analytical Methods, Computational Approaches, Numerical Integration, Error Analysis, Mathematical Modelling.*

1. INTRODUCTION

Second order linear differential equations with constant coefficients are an important area of mathematical analysis, with wide applications in physics, engineering, economics, and other scientific disciplines. These equations are used to describe various phenomena involving motion, electrical circuits, mechanical vibrations, population dynamics, and other systems that exhibit continuous change. Their mathematical structure allows the use of systematic solution techniques to understand the behaviour of systems and determine relationships between variables.

Analytical methods provide a structured approach to solving second order linear differential equations by deriving exact solutions through characteristic equations, complementary functions, and particular integrals. The nature of the characteristic roots determines the form of the general solution, which may involve distinct real roots, repeated roots, or complex conjugate roots. For non-homogeneous equations, additional techniques are applied to determine particular solutions. These methods offer a clear understanding of the mathematical properties of differential equations and the behaviour of their solutions.

With the advancement of computational technology, numerical and symbolic approaches have become useful tools for solving and verifying differential equations. Computational methods, including numerical integration and computer-based symbolic calculations, can handle problems that may be difficult to solve manually and provide approximate solutions over specified intervals. These approaches also support graphical representation, error estimation, and the examination of solution behaviour under different initial conditions. Their effectiveness can be assessed in terms of accuracy, computational efficiency, consistency, and applicability.

The present study focuses on examining analytical techniques and evaluating computational approaches for solving these equations. It aims to understand the mathematical procedures involved in obtaining exact solutions and to explore how computational methods can support numerical approximation and solution verification. By comparing these approaches in terms of accuracy, efficiency, and applicability, the study seeks to highlight their complementary roles in solving and interpreting second order linear differential equations with constant coefficients.

1.1. Research Objectives

The research objectives of the study are:

- To analyze analytical methods for solving second order linear differential equations with constant coefficients.
- To evaluate computational approaches for solving and comparing the accuracy and efficiency of these equations.

2. REVIEW OF LITERATURE

Denis (2020) provided an overview of analytical and numerical methods used for solving ordinary differential equations. The study discussed different solution techniques and highlighted the role of analytical methods in obtaining exact solutions and numerical methods in approximating solutions when exact procedures were difficult to apply. It also emphasized the importance of selecting suitable methods according to the mathematical structure and complexity of a differential equation. The work offered a general foundation for understanding the complementary use of analytical and computational approaches in solving ordinary differential equations.

Dormand (2018) examined numerical methods for solving differential equations through a computational approach. The book presented numerical techniques for approximating solutions to differential equations and discussed their implementation, accuracy, and computational considerations. It explained how numerical procedures could be used to address problems for which analytical solutions were difficult to obtain and how computational methods supported the analysis of solution behaviour. The work provided a useful methodological basis for evaluating numerical approaches alongside exact analytical methods for second order linear differential equations.

Ibragimov (2023) explored the role of Lie group analysis in the study of differential equations, with particular attention to symmetries, exact solutions, and conservation laws. The book described how symmetry-based methods could be applied to identify mathematical structures and simplify the process of deriving exact solutions. It demonstrated the importance of transformation techniques in understanding differential equations and their solution properties. The work contributed a theoretical perspective for examining analytical solution methods and understanding how structural properties could support the solution of differential equations.

Kelly et al. (2020) investigated methods for learning differential equations that were computationally easier to solve. The study explored how machine learning techniques could be used to identify mathematical representations of differential equations while considering the efficiency of their solutions. It highlighted the importance of developing models that maintained useful solution characteristics while reducing computational complexity. The research provided insights into the relationship between data-

driven modelling and computational methods, offering a broader perspective on the evaluation of computational approaches for differential equations.

Shampine (2018) examined numerical methods for solving ordinary differential equations, focusing on computational procedures and the accuracy of approximate solutions. The book discussed numerical algorithms, step-size control, error estimation, and practical considerations involved in implementing numerical solvers. It explained how computational methods could be applied to initial-value problems and how numerical accuracy and stability influenced the reliability of the results. The work provided a methodological foundation for assessing numerical techniques and comparing their performance with analytical solutions of differential equations.

3. RESEARCH METHODOLOGY

The present study adopts a mathematical and computational research methodology to investigate the analytical techniques and numerical approaches used to solve second order linear differential equations with constant coefficients. The study focuses on understanding the theoretical foundations of these equations and examining the accuracy, efficiency, and reliability of different solution methods.

3.1. Research Design

The study follows a theoretical, analytical, and computational research design. It involves the mathematical formulation and analysis of second order linear differential equations with constant coefficients, along with the application of computational techniques to obtain and verify their solutions. The analytical approach is used to derive exact solutions, while computational methods are applied to examine numerical solutions and compare their performance.

3.2. Mathematical Formulation

The study considers second order linear differential equations of the general form:

$$a \frac{d^2y}{dx^2} + b \frac{dy}{dx} + cy = f(x)$$

where a , b , and c are constants, $a \neq 0$, and $f(x)$ is a given function. The research examines homogeneous and non-homogeneous equations under suitable initial or boundary conditions. The characteristic equation is formulated to determine the nature of the roots and the corresponding general solutions.

3.3. Analytical Solution Methods

Analytical methods, including the characteristic equation method, complementary function, particular integral, and method of undetermined coefficients, are used to obtain exact solutions. The study examines different cases involving distinct real roots, repeated real roots, and complex conjugate roots. These methods are applied to selected differential equations to understand their mathematical properties and solution behaviour.

3.4. Computational Approaches

Computational techniques are employed to solve selected second order linear differential equations and verify the analytical results. Numerical and symbolic computation approaches are considered to approximate solutions, evaluate initial conditions, and visualize solution curves. Computational tools such as MATLAB, Python, or other suitable mathematical software may be used to perform calculations, generate graphical representations, and validate the derived solutions.

3.5. Comparative Analysis

The analytical and computational results are compared in terms of accuracy, computational efficiency, solution consistency, and ease of implementation. Numerical errors are examined by comparing approximate solutions with exact analytical solutions wherever available. Graphical representations and tabular comparisons are used to identify similarities and differences between the methods.

3.6. Data Analysis and Interpretation

The study is based on mathematical equations, derived solutions, computational outputs, and numerical comparisons rather than survey-based data. The results are interpreted through mathematical verification, error analysis, graphical visualization, and comparative evaluation. The findings are used to explain the applicability, accuracy, and limitations of the selected analytical and computational methods.

4. RESULTS AND DISCUSSION

The section presents the analytical solutions of second order linear differential equations with constant coefficients and examines the application of computational methods for solution verification and numerical approximation. It discusses the classification of characteristic roots, analytical treatment of homogeneous and non-homogeneous equations, and comparison of analytical and computational approaches in terms of accuracy, efficiency, and applicability. The findings highlight the complementary

role of mathematical derivation and computational techniques in understanding solution behaviour, verifying results, and evaluating numerical accuracy.

4.1. Analysis of Analytical Solution Methods

Analytical methods provide exact mathematical solutions to second order linear differential equations with constant coefficients. The general form of the equation is:

$$a \frac{d^2 y}{dx^2} + b \frac{dy}{dx} + cy = f(x)$$

where a , b , and c are constants, $a \neq 0$, and $f(x)$ is a given function. For homogeneous equations, the characteristic equation is used to determine the roots, which define the general form of the solution.

4.1.1. Classification of Characteristic Roots

The nature of the characteristic roots determines the structure and behaviour of the solution. The characteristic equation is expressed as:

$$am^2 + bm + c = 0$$

Table 1 presents the classification of characteristic roots and their corresponding analytical solutions for second order linear differential equations with constant coefficients. The classification is based on the discriminant of the characteristic equation, which determines whether the roots are distinct real, repeated real, or complex conjugate. Each category is associated with a specific mathematical form of the general solution, providing a systematic approach to solving homogeneous second order linear differential equations.

Table 1: Classification of Characteristic Roots and Analytical Solutions

Type of roots	Condition	General solution
Distinct real roots	$b^2 - 4ac > 0$	$y = C_1 e^{m_1 x} + C_2 e^{m_2 x}$
Repeated real roots	$b^2 - 4ac = 0$	$y = (C_1 + C_2 x) e^{mx}$
Complex conjugate roots	$b^2 - 4ac < 0$	$y = e^{\alpha x} (C_1 \cos \beta x + C_2 \sin \beta x)$

The results show that distinct real roots produce a general solution consisting of two independent exponential functions, repeated real roots produce an exponential function multiplied by a linear

expression, and complex conjugate roots produce solutions involving exponential, sine, and cosine functions. This indicates that the nature of the characteristic roots determines the mathematical structure and behaviour of the solution. The classification provides a clear basis for selecting the appropriate analytical method for solving different types of second order linear differential equations.

4.1.2. Analytical Solutions of Representative Equations

To examine the applicability of the analytical methods, three representative homogeneous differential equations are considered.

Case 1: Distinct real roots

Consider the equation:

$$\frac{d^2y}{dx^2} - 5\frac{dy}{dx} + 6y = 0$$

The characteristic equation is:

$$m^2 - 5m + 6 = 0$$

$$(m - 2)(m - 3) = 0$$

The roots are $m_1 = 2$ and $m_2 = 3$. Therefore, the general solution is:

$$y = C_1e^{2x} + C_2e^{3x}$$

Case 2: Repeated real roots

Consider the equation:

$$\frac{d^2y}{dx^2} - 4\frac{dy}{dx} + 4y = 0$$

The characteristic equation is:

$$m^2 - 4m + 4 = 0$$

$$(m - 2)^2 = 0$$

The repeated root is $m = 2$. Hence, the general solution is:

$$y = (C_1 + C_2x)e^{2x}$$

Case 3: Complex conjugate roots

Consider the equation:

$$\frac{d^2y}{dx^2} + 4y = 0$$

The characteristic equation is:

$$m^2 + 4 = 0$$

$$m = \pm 2i$$

The general solution is:

$$y = C_1 \cos 2x + C_2 \sin 2x$$

Table 2 presents the analytical solutions of representative second order linear differential equations with constant coefficients. It includes three cases: distinct real roots, repeated real roots, and complex conjugate roots. Each case is examined through its differential equation, characteristic roots, and corresponding general solution. The table provides a structured representation of the characteristic equation method and illustrates how different root conditions are used to derive analytical solutions.

Table 2: Analytical Solutions of Representative Differential Equations

Case	Differential equation	Characteristic roots	General solution
Distinct real roots	$y'' - 5y' + 6y = 0$	2,3	$C_1 e^{2x} + C_2 e^{3x}$
Repeated real roots	$y'' - 4y' + 4y = 0$	2,2	$(C_1 + C_2 x)e^{2x}$
Complex conjugate roots	$y'' + 4y = 0$	$\pm 2i$	$C_1 \cos 2x + C_2 \sin 2x$

The results show that the differential equation with distinct real roots has characteristic roots of 2 and 3, producing a general solution consisting of two exponential functions. The equation with repeated real roots has a repeated root of 2, resulting in an exponential function multiplied by a linear expression. The equation with complex conjugate roots has roots of $\pm 2i$, producing a general solution involving sine and cosine functions. These results indicate that the nature of the characteristic roots determines the form of the general solution and demonstrates the applicability of the characteristic equation method to different types of second order linear differential equations.

4.2. Analysis of Non-Homogeneous Differential Equations

Non-homogeneous second order linear differential equations contain a non-zero forcing function. Their general solution consists of the complementary function and a particular integral, expressed as:

$$y = y_c + y_p$$

where y_c represents the complementary function and y_p represents the particular integral.

Consider the representative equation:

$$\frac{d^2y}{dx^2} - 3\frac{dy}{dx} + 2y = e^x$$

The corresponding homogeneous equation has the characteristic equation:

$$m^2 - 3m + 2 = 0$$

$$(m - 1)(m - 2) = 0$$

Thus, the complementary function is:

$$y_c = C_1e^x + C_2e^{2x}$$

Since e^x is already part of the complementary function, the particular integral is assumed in the form $y_p = Axe^x$. Substitution into the original equation gives $A = -1$. Therefore, the complete solution is:

$$y = C_1e^x + C_2e^{2x} - xe^x$$

Table 3 presents the analytical treatment of non-homogeneous second order linear differential equations with constant coefficients. It outlines the three main components involved in obtaining the complete solution, namely the complementary function, particular integral, and complete solution. The table identifies the characteristic equation method for determining the complementary function and the method of undetermined coefficients for calculating the particular integral. It also illustrates how these components are combined to obtain the general solution of a non-homogeneous differential equation.

Table 3: Analytical Treatment of Non-Homogeneous Equations

Component	Method	Result
Complementary function	Characteristic equation	$C_1e^x + C_2e^{2x}$
Particular integral	Undetermined coefficients	$-xe^x$
Complete solution	$y = y_c + y_p$	$C_1e^x + C_2e^{2x} - xe^x$

The results show that the complementary function is obtained using the characteristic equation, while the particular integral is determined through the method of undetermined coefficients. For the considered equation $y'' - 3y' + 2y = e^x$, the complementary function is $C_1e^x + C_2e^{2x}$, and the particular integral is $-xe^x$. The resulting complete solution is $y = C_1e^x + C_2e^{2x} - xe^x$. This indicates that combining the complementary function and particular integral provides the complete analytical solution to the non-homogeneous equation.

4.3. Computational Approaches and Solution Verification

Computational approaches provide a means of verifying analytical solutions, evaluating initial-value problems, and representing solution behaviour graphically. Symbolic computation can be used to differentiate and substitute derived solutions into the original equations, whereas numerical methods can approximate solutions at selected points.

For a representative initial-value problem:

$$y'' - 3y' + 2y = e^x$$

with $y(0) = 1$ and $y'(0) = 0$, the analytical solution is:

$$y = 2e^x - e^{2x} - xe^x$$

This solution satisfies both initial conditions and the original differential equation. It can therefore be used as a reference solution for evaluating numerical approximations. Table 4 presents the computational verification framework used to evaluate analytical and numerical solutions of second order linear differential equations with constant coefficients. It includes symbolic computation, numerical integration, graphical computation, error analysis, and computational complexity analysis. Each approach is associated with a specific application and evaluation purpose, providing a structured framework for verifying analytical solutions, obtaining numerical approximations, visualizing solution behaviour, and examining computational accuracy and efficiency.

Table 4: Computational Verification Framework

Computational approach	Application	Evaluation purpose
Symbolic computation	Differentiation and substitution	Verify analytical solutions

Numerical integration	Runge–Kutta methods	Approximate solutions at selected points
Graphical computation	Plotting solution curves	Examine solution behaviour
Error analysis	Comparison with exact solutions	Assess numerical accuracy
Computational complexity analysis	Evaluation of calculation steps	Examine computational efficiency

The results indicate that symbolic computation facilitates the verification of analytical solutions through differentiation and substitution, while numerical integration using Runge–Kutta methods provide approximate solutions at selected points. Graphical computation helps visualize solution curves and examine their behaviour, whereas error analysis enables the assessment of numerical accuracy through comparison with exact solutions. Computational complexity analysis provides a basis for examining the efficiency of calculation procedures. Together, these approaches demonstrate how computational techniques can complement analytical methods by supporting solution verification, numerical approximation, graphical interpretation, and performance evaluation.

4.4. Comparative Analysis of Analytical and Computational Methods

Table 5 presents a comparative framework for analytical and computational approaches used to solve second order linear differential equations with constant coefficients. The comparison is based on several criteria, including solution type, mathematical basis, accuracy, verification, graphical representation, efficiency, complexity, and applicability. It highlights the fundamental characteristics of both approaches and provides a structured basis for examining their respective methods, procedures, and uses in mathematical problem-solving.

Table 5: Comparison of Analytical and Computational Approaches

Comparison criteria	Analytical methods	Computational methods
---------------------	--------------------	-----------------------

Solution type	Exact mathematical expression	Approximate or symbolic solution
Mathematical basis	Algebraic derivation and calculus	Numerical algorithms and symbolic operations
Accuracy	Exact under valid derivation	Depends on method, precision, and step size
Verification	Mathematical substitution	Symbolic or numerical validation
Graphical representation	Requires additional plotting	Directly supported by computational tools
Efficiency	Effective for equations with tractable solutions	Useful for repeated calculations and numerical evaluation
Complexity	May increase for complicated forcing functions	Depends on algorithm and equation structure
Applicability	Suitable for equations with known analytical techniques	Useful for numerical investigation and computational analysis

The results indicate that analytical methods provide exact mathematical expressions through algebraic derivation and calculus, whereas computational methods support approximate numerical solutions and symbolic operations. Analytical accuracy depends on the correctness of the mathematical derivation, while computational accuracy is influenced by the numerical method, precision, and step size. Analytical methods are suitable for equations with tractable solutions, whereas computational methods facilitate repeated calculations, graphical representation, and numerical investigation. This comparison demonstrates that both approaches have distinct but complementary roles in solving second order linear differential equations, with their applicability depending on the mathematical complexity and requirements of the problem.

4.5. Error Analysis and Computational Accuracy

Error analysis is an important component of computational approaches because numerical methods may introduce approximation errors. The absolute error between the exact analytical solution and the numerical approximation is defined as:

$$E_{\text{abs}} = |y_{\text{exact}} - y_{\text{numerical}}|$$

The relative error is expressed as:

$$E_{\text{rel}} = \frac{|y_{\text{exact}} - y_{\text{numerical}}|}{|y_{\text{exact}}|}$$

For cases where the exact solution is zero, absolute error is used instead of relative error. These measures provide a mathematical basis for assessing the accuracy of numerical solutions. Table 6 presents the framework for evaluating the numerical accuracy of computational methods used to solve second order linear differential equations with constant coefficients. It includes five evaluation parameters: absolute error, relative error, step size, convergence, and computational time. Each parameter is described in terms of its mathematical or computational significance and its purpose in assessing numerical solutions. The framework provides a systematic basis for examining numerical deviation, discretization effects, solution stability, and computational performance.

Table 6: Framework for Evaluating Numerical Accuracy

Evaluation parameter	Description	Purpose
Absolute error	Difference between exact and approximate values	Measures numerical deviation
Relative error	Absolute error relative to the exact value	Measures proportional deviation
Step size	Interval used in numerical integration	Examines discretization effects
Convergence	Behaviour as step size decreases	Evaluates numerical stability and accuracy
Computational time	Time required to obtain a solution	Assesses execution efficiency

The results indicate that absolute error measures the difference between exact and approximate solutions, while relative error determines the proportional deviation from the exact value. Step size plays an important role in controlling discretization effects, whereas convergence helps assess how numerical solutions behave as the step size decreases. Computational time provides an indication of the execution

efficiency of the numerical method. These parameters collectively demonstrate that numerical accuracy and computational efficiency depend on the choice of algorithm, step size, and computational requirements. Together, they provide a structured approach for evaluating the reliability and performance of numerical methods.

4.6. Discussion of Findings

The findings of the study demonstrate that analytical methods provide a systematic approach to solving second order linear differential equations with constant coefficients. The characteristic equation method effectively identifies distinct real roots, repeated real roots, and complex conjugate roots, each of which determines the mathematical structure of the general solution. The analysis further establishes that non-homogeneous equations can be solved by combining the complementary function and particular integral using appropriate techniques, such as the method of undetermined coefficients. These results highlight the importance of analytical methods in obtaining exact solutions, understanding mathematical relationships, and interpreting the behaviour of differential equations under different root conditions.

The study also highlights the complementary role of computational approaches in verifying analytical solutions, generating numerical approximations, visualizing solution curves, and evaluating numerical accuracy. Symbolic computation, Runge–Kutta methods, graphical analysis, and error evaluation provide a structured framework for examining solution consistency, convergence, and computational efficiency. The comparative analysis indicates that analytical methods are suitable for equations with tractable exact solutions, while computational methods facilitate numerical investigation and repeated calculations. Overall, the findings establish that integrating analytical and computational approaches supports a comprehensive understanding of second order linear differential equations with constant coefficients. However, actual numerical accuracy and computational efficiency require further validation through software-based implementation and measured experimental results.

5. CONCLUSION

The study concluded that analytical methods, including the characteristic equation, complementary function, particular integral, and method of undetermined coefficients, provided a systematic approach to obtaining exact solutions of second order linear differential equations with constant coefficients. The analysis demonstrated that computational approaches, such as symbolic computation, numerical integration, graphical representation, and error analysis, supported solution verification, numerical approximation, and the evaluation of accuracy and efficiency. The findings highlighted that analytical and computational methods played complementary roles in understanding solution behaviour and

addressing different mathematical requirements. Their integration offered a structured approach to solving these equations, although further software-based implementation and measured numerical testing would be required to validate actual computational accuracy and efficiency.

REFERENCES

1. Akbulut, A., & Kaplan, M. (2018). Auxiliary equation method for time-fractional differential equations with conformable derivative. *Computers & Mathematics with Applications*, 75(3), 876-882.
2. Blechschmidt, J., & Ernst, O. G. (2021). Three ways to solve partial differential equations with neural networks: A review. *Gamm-mitteilungen*, 44(2), e202100006.
3. Garrappa, R. (2018). Numerical solution of fractional differential equations: A survey and a software tutorial. *Mathematics*, 6(2), 16.
4. Genčev, M., & Šalounová, D. (2023). First-and second-order linear difference equations with constant coefficients: suggestions for making the theory more accessible. *International Journal of Mathematical Education in Science and Technology*, 54(7), 1349-1372.
5. Li, J., & Chen, Y. T. (2019). *Computational partial differential equations using MATLAB®*. CRC press.
6. Nakao, M. T., Plum, M., & Watanabe, Y. (2019). *Numerical verification methods and computer-assisted proofs for partial differential equations* (Vol. 53). Singapore: Springer.
7. Raissi, M. (2018). Deep hidden physics models: Deep learning of nonlinear partial differential equations. *Journal of Machine Learning Research*, 19(25), 1-24.
8. Wang, S., Wang, H., & Perdikaris, P. (2021). Learning the solution operator of parametric partial differential equations with physics-informed DeepONets. *Science advances*, 7(40), eabi8605.
9. Zidan, M. A., Jeong, Y., Lee, J., Chen, B., Huang, S., Kushner, M. J., & Lu, W. D. (2018). A general memristor-based partial differential equation solver. *Nature Electronics*, 1(7), 411-420.
10. Zwillinger, D., & Dobrushkin, V. (2021). *Handbook of differential equations*. CRC Press.
11. Denis, B. (2020). An overview of numerical and analytical methods for solving ordinary differential equations. *arXiv preprint arXiv:2012.07558*.
12. Dormand, J. R. (2018). *Numerical methods for differential equations: a computational approach*. CRC press.
13. Ibragimov, N. H. (2023). *CRC Handbook of Lie Group Analysis of Differential Equations, Volume I: Symmetries, Exact Solutions, and Conservation Laws*. CRC press.

14. Kelly, J., Bettencourt, J., Johnson, M. J., & Duvenaud, D. K. (2020). Learning differential equations that are easy to solve. *Advances in Neural Information Processing Systems*, 33, 4370-4380.
15. Shampine, L. F. (2018). *Numerical solution of ordinary differential equations*. Routledge.
